Safety Data Sheet



Version 1.3 Revision Date 08/01/2021

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name Indium, Enriched Indium

Chemical Formula In

Molecular Weight 114.82 g/mol CAS No. 7440-74-6 RTECS No. NL1050000

Supplier Address* ISOFLEX USA

PO Box 29475

San Francisco CA 94129

United States

Telephone +1 415-440-4433 Fax +1 415-563-4433

Emergency Phone Number Infotrac/ +1 800-535-5053

(both supplier and

manufacturer) *May include subsidiaries or affiliate companies/divisions

Email <u>iusa@isoflex.com</u>
Website <u>www.isoflex.com</u>

Preparation Information ISOFLEX USA

Product Safety +1 415-440-4433

2. HAZARDOUS IDENTIFICATION

Emergency Overview

Harmful if swallowed, in contact with skin or if inhaled

Causes skin irritation

Causes serious eye irritation

May cause respiratory irritation

NFPA Ratings: (0 = Minimal; 1 = Slight; 2 = Moderate; 3 = Serious; 4 = Severe)

Health Hazard = 2 Flammability = 0 Reactivity = 0



HMIS Ratings: (0 = Minimal; 1 = Slight; 2 = Moderate; 3 = Serious; 4 = Severe)

Health Hazard = 2 Flammability = 0 Physical Hazard = 0

| HEALTH HAZARD | 2 |
|---------------------|---|
| FLAMMABILITY | 0 |
| PHYSICAL HAZARD | 0 |
| PERSONAL PROTECTION | |

Potential Health Effects

Potential Acute Health Hazardous in case of ingestion, of inhalation (lung irritant). Slightly

Effects hazardous in case of skin contact (irritant), of eye contact (irritant).

Potential Chronic Health Hazardous in case of ingestion. Slightly hazardous in case of skin

Effects contact (irritant), of eye contact (irritant), of inhalation.

Carcinogenic Effects

Mutagenic Effects

Not available

Teratogenic Effects

Not available

Developmental Toxicity Proven. The substance is toxic to blood, kidneys, the reproductive

system, liver, heart, upper respiratory tract, skin, eyes. Repeated or prolonged exposure to the substance can produce target-organ damage.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name: Indium
CAS No.: 7440-74-6

Chemical Formula: In

Molecular Weight: 114.82 g/mol

4. FIRST AID MEASURES

Eye Contact No known effect on eye contact; rinse with water for a few minutes.

Skin Contact

After contact with skin, wash immediately with plenty of water. Gently and thoroughly wash the contaminated skin with running water and non-

and thoroughly wash the contaminated skin with running water and non abrasive soap. Be particularly careful to clean folds, crevices, creases and groin. Cover the irritated skin with an emollient. If irritation persists, seek medical attention. Wash contaminated clothing before reusing.

seek medical attention. Wash contaminated clothing before reusin

Serious Skin Contact Not available

Inhalation Allow the victim to rest in a well-ventilated area. Seek immediate medical

attention.

Serious Inhalation Evacuate the victim to a safe area as soon as possible. Loosen tight

clothing such as a collar, tie, belt or waistband. If breathing is difficult, administer oxygen. If the victim is not breathing, perform mouth-to-mouth

resuscitation. Seek medical attention.

Ingestion Do not induce vomiting. Loosen tight clothing such as a collar, tie, belt or

waistband. If the victim is not breathing, perform mouth-to-mouth

resuscitation. Seek immediate medical attention.

Serious Ingestion Not available

5. FIREFIGHTING MEASURES

Flammability Flammable

Auto-Ignition Temperature N/A

Flash Point N/A

Flammable Limits N/A

Products of Combustion N/A

Fire Hazards in Presence N/A

of Various Substances

Explosion Hazards in Presence of Various Substances

Risks of Explosion of the Product N/A

in Presence of Mechanical Impact

Risks of Explosion of the Product N/A

in Presence of Static Discharge

Firefighting Media Flammable solid and Instructions

Small Fire Use DRY chemical powder

Large Fire Use water spray or fog. Cool containing vessels with water jet in order to

prevent pressure build-up, autoignition or explosion.

Special Remarks on N/A

Fire Hazards

Special Remarks on N/A

Explosion Hazards

Firefighting

Special Hazards Indium/indium oxides

Advice for Firefighters Wear self-contained breathing apparatus for firefighting if necessary.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions Use personal protective equipment. Avoid dust formation. Avoid

breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection

see section 8.

Environmental Precautions Do not let product enter drains.

Methods for Cleaning Up Small Spill: Use appropriate tools to put the spilled solid in a convenient

waste disposal container. Large Spill: Flammable solid. Stop leak if without risk. Do not touch spilled material. Use water spray curtain to divert vapor drift. Prevent entry into sewers, basements or confined areas; dike if needed. Eliminate all ignition sources. Call for assistance on disposal. Be careful that the product is not present at a concentration level above TLV. Check TLV on the MSDS and with local authorities.

7. HANDLING AND STORAGE

Handling Keep away from heat. Keep away from sources of ignition. Ground all

equipment containing material. Do not breathe dust.

Storage Flammable materials should be stored in a separate safety storage

cabinet or room. Keep away from heat. Keep away from sources of ignition. Keep container tightly closed. Keep in a cool, well-ventilated place. Ground all equipment containing material. Keep container dry.

Keep in a cool place.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep

exposure to airborne contaminants below the exposure limit.

Personal Protective Equipment

Eye Safety glasses

Body Lab coat
Hand Gloves

Respiratory Dust respirator. Be sure to use an approved/certified respirator or

equivalent.

Personal Protection in Case of a Large Spill

Splash goggles. Full suit. Dust respirator. Boots. Gloves. A self-contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a

specialist before handling this product.

Exposure Limits:

TWA 0.1 (mg/m³) from OSHA (PEL)

TWA 0.1 (mg/m³) from ACGIH (Consult local authorities for acceptable

exposure limits)

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form Solid
Color N/A
Odor Odorless
Taste N/A

Safety Data

Molecular Weight: 114.82 g/mol pH (1% soln/water): N/A

Boiling Point: 2000 °C (3632 °F) Melting Point: 156.17 °C (313.1 °F) Critical Temperature: N/A Specific Gravity: 7.31 (Water = 1)

Vapor Pressure: N/A Vapor Density: N/A
Volatility: N/A Odor Threshold: N/A
Water/Oil Dist. Coeff.: N/A Ionicity (in Water): N/A

Dispersion Properties: Is not dispersed in

cold water, hot water

Solubility: Insoluble in cold water, hot water

N/A = not available

10. STABILITY AND REACTIVITY

> Stable Stability

Instability Temperature N/A Conditions of Instability N/A Incompatible Materials N/A

Corrosivity Non-corrosive in presence of glass

Special Remarks on

Reactivity

N/A

Special Remarks on

Corrosivity

N/A

Polymerization No.

11. **TOXICOLOGICAL INFORMATION**

> Absorbed through skin, eye contact, inhalation, ingestion Routes of Entry

Toxicity to Animals

LD50 N/A LC50 N/A

Chronic Effects on Humans

Developmental Toxicity Proven. The substance is toxic to blood, kidneys, the reproductive

system, liver, heart, upper respiratory tract, skin, eyes.

Other Toxic Effects Hazardous in case of ingestion, of inhalation (lung irritant). Slightly on Humans

hazardous in case of skin contact (irritant).

Special Remarks on

Toxicity to Animals Special Remarks on

Chronic Effects on Humans

Special Remarks on Other

Toxic Effects on Humans

N/A

N/A

N/A

12. **ECOLOGICAL INFORMATION**

> **Ecotoxicity** N/A

> BOD5 and COD N/A

Products of Biodegradation Possibly hazardous short-term degradation products are not likely.

However, long-term degradation products may arise.

Toxicity of the Products

of Biodegradation

The products of degradation are more toxic.

Special Remarks on the Products of Biodegradation

N/A

No data available **Toxicity**

Persistence and Degradability No data available

Bioaccumulative Potential No data available Mobility in Soil No data available

Results of PBT and PBT/vPvB assessment not available, as chemical safety assessment not

vPvB Assessment required/not conducted

Other Adverse Effects No data available

13. DISPOSAL CONSIDERATION

Product Contact a licensed professional waste disposal service to dispose of this

material. Observe all federal, state, and local environmental regulations. Catalysts and expensive metals should be recovered for reuse or recycling.

Contaminated Packaging Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT Classification

Class 4.1: Flammable solid.

Identification Metal Powder, Flammable, n.o.s.(Indium Powder)

UN No. UN3089

Packing Group III
Special Provisions N/A

for Transport

15. REGULATORY INFORMATION

REACH Number A registration number is not available for this substance as the

substance or its uses are exempted from registration, the annual tonnage does not require a registration, or the registration is envisaged

for a later registration deadline.

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of

SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known

CAS numbers that exceed the threshold (De Minimis) reporting levels

established by SARA Title III, Section 313.

SARA 311/312 Hazards Fire Hazard, Acute Health Hazard, Chronic Health Hazard

Massachusetts Right to Know In

Components

Indium / CAS No. 7440-74-6 / Revision Date 1994-04-01

Pennsylvania Right to Know

Components

Indium / CAS No. 7440-74-6 / Revision Date 1994-04-01

New Jersey Right to Know

Components

Indium / CAS No. 7440-74-6 / Revision Date 1994-04-01

California Prop. 65

Components

This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION

Prepared By ISOFLEX USA

PO Box 29475

San Francisco CA 94129

United States

Issuing Date February 9, 2015
Revision Date August 1, 2021

Revision Number 2

Revision Note Required review and update

ISOFLEX USA's Commonly Used Abbreviations and Acronyms*

ACGIH American Conference of Governmental Industrial Hygienists

ADR European Agreement Concerning the International Carriage of Dangerous Goods by

Road

ALARA As Low As Is Reasonably Achievable

AMU Atomic Mass Unit

ANSI American National Standards Institute

BLS Basic Life Support

BOD5 Biochemical Oxygen Demand CAM Continuous Air Monitor

CAS Chemical Abstracts Service (division of the American Chemical Society)

CEN European Committee for Standardization

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CLP Classification, Labelling and Packaging (European Union)

COD Chemical Oxygen Demand

CPR Controlled Products Regulations (Canada)

CWA Clean Water Act (USA)

DAC Derived Air Concentration (USA)

DOE United States Department of Energy (USA)

United States Department of Transportation (USA)

DSL Domestic Substances List (Canada) EC50 Half Maximal Effective Concentration

EINECS European Inventory of Existing Commercial Chemical Substances

EHS Environmentally Hazardous Substance

ELINCS European List of Notified Chemical Substances

EMS Emergency Response Procedures for Ships Carrying Dangerous Goods

EPA Environmental Protection Agency (USA)

EPCRA Emergency Planning and Community Right-To-Know Act (EPCRA) of 1986

GHS Globally Harmonized System

HMIS Hazardous Materials Identification System (USA)
IARC International Agency for Research on Cancer

IATA International Air Transport Association

IBC Intermediate Bulk Containers

ICAO International Civil Aviation Organization IDLH Immediately Dangerous to Life or Health

IMDG International Maritime Code for Dangerous Goods

LC50 Lethal concentration, 50 percent

LD50 Lethal dose, 50 percent

LDLO Lethal Dose Low

LOEC Lowest-Observed-Effective Concentration

MARPOL International Convention for the Prevention of Pollution from Ships

MSHA Mine Safety and Health Administration (USA)

NCRP National Council on Radiation Protection & Measurements (USA)

NDSL Non-Domestic Substances List (Canada)
NFPA National Fire Protection Association (USA)

NIOSH National Institute for Occupational Safety and Health (USA)

NOEC No Observed Effect Concentration

N.O.S. Not Otherwise Specified

NRC Nuclear Regulatory Commission (USA)
NTP National Toxicology Program (USA)

OSHA Occupational Safety and Health Administration (USA)
PBT Persistent Bioaccumulative and Toxic Chemical

PEL Permissible Exposure Limit
PIH Poisonous by Inhalation Hazard

RCRA Resource Conservation and Recovery Act (USA)

RCT Radiation Control Technician

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals (Europe)
RID Regulations Concerning the International Transport of Dangerous Goods by Rail

RQ Reportable Quantity

RTECS Registry of Toxic Effects of Chemical Substances

SARA Superfund Amendments and Reauthorization Act (USA)

SNUR Significant New Use Rule (TSCA)

TDG Transportation of Dangerous Goods (Canada)

TIH Toxic by Inhalation Hazard
TLV Threshold Limit Value
TPQ Threshold Planning Quantity
TSCA Toxic Substances Control Act

TWA Time Weighted Average
UN United Nations (Number)
VOC Volatile Organic Compound

vPvB Very Persistent Very Bioaccumulative Chemical

WGK Wassergefährdungsklassen (Germany: Water Hazard Classes)

WHMIS Workplace Hazardous Materials Information System

General Disclaimer

For terms and conditions, including limitation of liability, please refer to the purchase agreement in effect between ISOFLEX USA (or any of its affiliates and subsidiaries) and the purchaser.

DISCLAIMER OF EXPRESSED AND IMPLIED WARRANTIES

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained herein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purpose(s).

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. ISOFLEX shall not be held liable for any damage resulting from handling or from contact with the above product.

^{*}One or more of the above-listed items may not appear in this document.