

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name **Indium Metal Ingot – Metal Foil**
Chemical Formula In
Molecular Weight 114.82 g/mol
CAS No. 7440-74-6
RTECS No. NL1050000
Supplier Address* ISOFLEX USA
PO Box 472615
San Francisco CA 94147
United States
Telephone +1 415-440-4433
Fax +1 415-563-4433
Emergency Phone Number Infotrac/ +1 800-535-5053
(both supplier and manufacturer) *May include subsidiaries or affiliate companies/divisions
Email iusa@isoflex.com
Website www.isoflex.com
Preparation Information ISOFLEX USA
Product Safety
+1 415-440-4433

2. HAZARDOUS IDENTIFICATION

Emergency Overview

Harmful if swallowed, in contact with skin or if inhaled
Causes skin irritation
Causes serious eye irritation
May cause respiratory irritation

NFPA Ratings: (0 = Minimal; 1 = Slight; 2 = Moderate; 3 = Serious; 4 = Severe)

Health Hazard = 2 Flammability = 0 Reactivity = 0



HMIS Ratings: (0 = Minimal; 1 = Slight; 2 = Moderate; 3 = Serious; 4 = Severe)

Health Hazard = 2 Flammability = 0 Physical Hazard = 0

HEALTH HAZARD	2
FLAMMABILITY	0
PHYSICAL HAZARD	0
PERSONAL PROTECTION	

Potential Health Effects

<i>Potential Acute Health Effects</i>	Hazardous in case of ingestion, of inhalation (lung irritant). Slightly hazardous in case of skin contact (irritant), of eye contact (irritant).
<i>Potential Chronic Health Effects</i>	Hazardous in case of ingestion. Slightly hazardous in case of skin contact (irritant), of eye contact (irritant), of inhalation.
<i>Carcinogenic Effects</i>	Not available
<i>Mutagenic Effects</i>	Not available
<i>Teratogenic Effects</i>	Not available
<i>Developmental Toxicity</i>	Proven. The substance is toxic to blood, kidneys, the reproductive system, liver, heart, upper respiratory tract, skin, eyes. Repeated or prolonged exposure to the substance can produce target-organ damage.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name:	Indium
CAS No.:	7440-74-6
Chemical Formula:	In
Molecular Weight:	114.82 g/mol

4. FIRST AID MEASURES

<i>Eye Contact</i>	No known effect on eye contact; rinse with water for a few minutes.
<i>Skin Contact</i>	After contact with skin, wash immediately with plenty of water. Gently and thoroughly wash the contaminated skin with running water and non-abrasive soap. Be particularly careful to clean folds, crevices, creases and groin. Cover the irritated skin with an emollient. If irritation persists, seek medical attention. Wash contaminated clothing before reusing.
<i>Serious Skin Contact</i>	Not available
<i>Inhalation</i>	Allow the victim to rest in a well-ventilated area. Seek immediate medical attention.
<i>Serious Inhalation</i>	Evacuate the victim to a safe area as soon as possible. Loosen tight clothing such as a collar, tie, belt or waistband. If breathing is difficult, administer oxygen. If the victim is not breathing, perform mouth-to-mouth resuscitation. Seek medical attention.
<i>Ingestion</i>	Do not induce vomiting. Loosen tight clothing such as a collar, tie, belt or waistband. If the victim is not breathing, perform mouth-to-mouth resuscitation. Seek immediate medical attention.
<i>Serious Ingestion</i>	Not available

5. FIREFIGHTING MEASURES

<i>Flammability</i>	Flammable
<i>Auto-Ignition Temperature</i>	N/A
<i>Flash Point</i>	N/A
<i>Flammable Limits</i>	N/A
<i>Products of Combustion</i>	N/A
<i>Fire Hazards in Presence of Various Substances</i>	N/A

Explosion Hazards in Presence of Various Substances

Risks of Explosion of the Product in Presence of Mechanical Impact N/A

Risks of Explosion of the Product in Presence of Static Discharge N/A

Firefighting Media and Instructions Flammable solid

Small Fire Use DRY chemical powder

Large Fire Use water spray or fog. Cool containing vessels with water jet in order to prevent pressure build-up, autoignition or explosion.

Special Remarks on Fire Hazards N/A

Special Remarks on Explosion Hazards N/A

Firefighting

Special Hazards Indium/indium oxides

Advice for Firefighters Wear self-contained breathing apparatus for firefighting if necessary.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions Use personal protective equipment. Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

Environmental Precautions Do not let product enter drains.

Methods for Cleaning Up Small Spill: Use appropriate tools to put the spilled solid in a convenient waste disposal container. Large Spill: Flammable solid. Stop leak if without risk. Do not touch spilled material. Use water spray curtain to divert vapor drift. Prevent entry into sewers, basements or confined areas; dike if needed. Eliminate all ignition sources. Call for assistance on disposal. Be careful that the product is not present at a concentration level above TLV. Check TLV on the MSDS and with local authorities.

7. HANDLING AND STORAGE**Handling**

Keep away from heat. Keep away from sources of ignition. Ground all equipment containing material. Do not breathe dust.

Storage

Flammable materials should be stored in a separate safety storage cabinet or room. Keep away from heat. Keep away from sources of ignition. Keep container tightly closed. Keep in a cool, well-ventilated place. Ground all equipment containing material. Keep container dry. Keep in a cool place.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION**Engineering Controls**

Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.

Personal Protective Equipment**Eye**

Safety glasses

Body

Lab coat

Hand

Gloves

Respiratory

Dust respirator. Be sure to use an approved/certified respirator or equivalent.

**Personal Protection
in Case of a Large Spill**

Splash goggles. Full suit. Dust respirator. Boots. Gloves. A self-contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist before handling this product.

Exposure Limits:**TWA**

0.1 (mg/m³) from OSHA (PEL)

TWA

0.1 (mg/m³) from ACGIH (Consult local authorities for acceptable exposure limits)

9. PHYSICAL AND CHEMICAL PROPERTIES**Appearance**

Form

Solid

Color

Silver

Odor

Odorless

Taste

N/A

Safety Data

Molecular Weight:

114.82 g/mol

pH (1% soln/water):

N/A

Boiling Point:

2000 °C (3632 °F)

Melting Point:

156.17 °C (313.1 °F)

Critical Temperature:

N/A

Specific Gravity:

7.31 (Water = 1)

Vapor Pressure:

N/A

Vapor Density:

N/A

Volatility:

N/A

Odor Threshold:

N/A

Water/Oil Dist. Coeff.:

N/A

Ionicity (in Water):

N/A

Dispersion Properties:

Is not dispersed in cold water, hot water

Solubility:

Insoluble in cold water, hot water

N/A = not available

10. STABILITY AND REACTIVITY

<i>Stability</i>	Stable
<i>Instability Temperature</i>	N/A
<i>Conditions of Instability</i>	N/A
<i>Incompatible Materials</i>	N/A
<i>Corrosivity</i>	Non-corrosive in presence of glass
<i>Special Remarks on Reactivity</i>	N/A
<i>Special Remarks on Corrosivity</i>	N/A
<i>Polymerization</i>	No.

11. TOXICOLOGICAL INFORMATION

Routes of Entry Absorbed through skin, eye contact, inhalation, ingestion

Toxicity to Animals

<i>LD50</i>	N/A
<i>LC50</i>	N/A

Chronic Effects on Humans

Developmental Toxicity Proven. The substance is toxic to blood, kidneys, the reproductive system, liver, heart, upper respiratory tract, skin, eyes.

Other Toxic Effects on Humans Hazardous in case of ingestion, of inhalation (lung irritant). Slightly hazardous in case of skin contact (irritant).

Special Remarks on Toxicity to Animals N/A

Special Remarks on Chronic Effects on Humans N/A

Special Remarks on Other Toxic Effects on Humans N/A

12. ECOLOGICAL INFORMATION

Ecotoxicity N/A

BOD5 and COD N/A

Products of Biodegradation Possibly hazardous short-term degradation products are not likely. However, long-term degradation products may arise.

Toxicity of the Products of Biodegradation The products of degradation are more toxic.

Special Remarks on the Products of Biodegradation N/A

Toxicity No data available

Persistence and Degradability No data available

Bioaccumulative Potential No data available

Mobility in Soil No data available

Results of PBT and
vPvB Assessment

PBT/vPvB assessment not available, as chemical safety assessment not
required/not conducted

Other Adverse Effects

No data available

13. DISPOSAL CONSIDERATION

Product

Contact a licensed professional waste disposal service to dispose of this
material. Observe all federal, state, and local environmental regulations.
Catalysts and expensive metals should be recovered for reuse or recycling.

Contaminated Packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

15. REGULATORY INFORMATION

REACH Number

A registration number is not available for this substance as the
substance or its uses are exempted from registration, the annual
tonnage does not require a registration or the registration is envisaged
for a later registration deadline.

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of
SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known
CAS numbers that exceed the threshold (De Minimis) reporting levels
established by SARA Title III, Section 313.

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

**Massachusetts Right to Know
Components**

Indium / CAS No. 7440-74-6 / Revision Date 1994-04-01

**Pennsylvania Right to Know
Components**

Indium / CAS No. 7440-74-6 / Revision Date 1994-04-01

**New Jersey Right to Know
Components**

Indium / CAS No. 7440-74-6 / Revision Date 1994-04-01

**California Prop. 65
Components**

This product does not contain any chemicals known to the State of
California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION

Prepared By

ISOFLEX USA
PO Box 472615
San Francisco CA 94147
United States

Issuing Date

February 9, 2015

Revision Date

May 10, 2024

Revision Number

3

Revision Note

Update Supplier Address

ISOFLEX USA's Commonly Used Abbreviations and Acronyms*

ACGIH	American Conference of Governmental Industrial Hygienists
ADR	European Agreement Concerning the International Carriage of Dangerous Goods by Road
ALARA	As Low As Is Reasonably Achievable
AMU	Atomic Mass Unit
ANSI	American National Standards Institute
BLS	Basic Life Support
BOD5	Biochemical Oxygen Demand
CAM	Continuous Air Monitor
CAS	Chemical Abstracts Service (division of the American Chemical Society)
CEN	European Committee for Standardization
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CLP	Classification, Labelling and Packaging (European Union)
COD	Chemical Oxygen Demand
CPR	Controlled Products Regulations (Canada)
CWA	Clean Water Act (USA)
DAC	Derived Air Concentration (USA)
DOE	United States Department of Energy (USA)
DOT	United States Department of Transportation (USA)
DSL	Domestic Substances List (Canada)
EC50	Half Maximal Effective Concentration
EINECS	European Inventory of Existing Commercial Chemical Substances
EHS	Environmentally Hazardous Substance
ELINCS	European List of Notified Chemical Substances
EMS	Emergency Response Procedures for Ships Carrying Dangerous Goods
EPA	Environmental Protection Agency (USA)
EPCRA	Emergency Planning and Community Right-To-Know Act (EPCRA) of 1986
GHS	Globally Harmonized System
HMIS	Hazardous Materials Identification System (USA)
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IBC	Intermediate Bulk Containers
ICAO	International Civil Aviation Organization
IDLH	Immediately Dangerous to Life or Health
IMDG	International Maritime Code for Dangerous Goods
LC50	Lethal concentration, 50 percent
LD50	Lethal dose, 50 percent
LDLO	Lethal Dose Low
LOEC	Lowest-Observed-Effective Concentration
MARPOL	International Convention for the Prevention of Pollution from Ships
MSHA	Mine Safety and Health Administration (USA)
NCRP	National Council on Radiation Protection & Measurements (USA)
NDSL	Non-Domestic Substances List (Canada)
NFPA	National Fire Protection Association (USA)
NIOSH	National Institute for Occupational Safety and Health (USA)
NOEC	No Observed Effect Concentration
N.O.S.	Not Otherwise Specified
NRC	Nuclear Regulatory Commission (USA)
NTP	National Toxicology Program (USA)
OSHA	Occupational Safety and Health Administration (USA)
PBT	Persistent Bioaccumulative and Toxic Chemical
PEL	Permissible Exposure Limit
PIH	Poisonous by Inhalation Hazard
RCRA	Resource Conservation and Recovery Act (USA)
RCT	Radiation Control Technician
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals (Europe)

RID	Regulations Concerning the International Transport of Dangerous Goods by Rail
RQ	Reportable Quantity
RTECS	Registry of Toxic Effects of Chemical Substances
SARA	Superfund Amendments and Reauthorization Act (USA)
SNUR	Significant New Use Rule (TSCA)
TDG	Transportation of Dangerous Goods (Canada)
TIH	Toxic by Inhalation Hazard
TLV	Threshold Limit Value
TPQ	Threshold Planning Quantity
TSCA	Toxic Substances Control Act
TWA	Time Weighted Average
UN	United Nations (Number)
VOC	Volatile Organic Compound
vPvB	Very Persistent Very Bioaccumulative Chemical
WGK	Wassergefährdungsklassen (Germany: Water Hazard Classes)
WHMIS	Workplace Hazardous Materials Information System

*One or more of the above-listed items may not appear in this document.

General Disclaimer

For terms and conditions, including limitation of liability, please refer to the purchase agreement in effect between ISOFLEX USA (or any of its affiliates and subsidiaries) and the purchaser.

DISCLAIMER OF EXPRESSED AND IMPLIED WARRANTIES

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained herein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purpose(s).

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. ISOFLEX shall not be held liable for any damage resulting from handling or from contact with the above product.

