

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name	Ruthenium, Enriched
Chemical Formula	Ru
Molecular Weight	101.07 amu
CAS No.	7440-18-8
Supplier Address*	ISOFLEX USA PO Box 472615 San Francisco CA 94147 United States
Telephone	+1 415-440-4433
Fax	+1 415-563-4433
Emergency Phone Number (both supplier and manufacturer)	Infotrac/ +1 800-535-5053 *May include subsidiaries or affiliate companies/divisions
Email	iusa@isoflex.com
Website	www.isoflex.com
Preparation Information	ISOFLEX USA Product Safety +1 415-440-4433

2. HAZARDS IDENTIFICATION

Emergency Overview:

Flammable (USA) Highly Flammable (EU)

NFPA Ratings: (0 = Minimal; 1 = Slight; 2 = Moderate; 3 = Serious; 4 = Severe)

Health Hazard = 0 Flammability = 2 Reactivity = 0



HMIS Ratings: (0 = Minimal; 1 = Slight; 2 = Moderate; 3 = Serious; 4 = Severe)

Health Hazard = 0 Flammability = 2 Physical Hazard = 0

HEALTH HAZARD	0
FLAMMABILITY	2
PHYSICAL HAZARD	0

Potential Health Effects

<i>Skin Contact</i>	May cause skin irritation
<i>Skin Absorption</i>	May be harmful if absorbed through the skin
<i>Eye Contact</i>	May cause eye irritation
<i>Inhalation</i>	Material may be irritating to mucous membranes and upper respiratory tract; may be harmful if inhaled
<i>Ingestion</i>	May be harmful if swallowed

For additional information on toxicity, please refer to Section 10.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name:	Ruthenium
CAS No.:	7440-18-8
Chemical Formula:	Ru
Molecular Weight:	101.07 amu

4. FIRST AID MEASURES

<i>Oral Exposure</i>	If swallowed, wash out mouth with water provided person is conscious. Call a physician.
<i>Inhalation Exposure</i>	If inhaled, remove to fresh air. If not breathing give artificial respiration. If breathing is difficult, give oxygen.
<i>Dermal Exposure</i>	In case of skin contact, flush with copious amounts of water for at least 15 minutes. Remove contaminated clothing and shoes. Call a physician.
<i>Eye Exposure</i>	In case of contact with eyes, flush with copious amounts of water for at least 15 minutes. Assure adequate flushing by separating the eyelids with fingers. Call a physician.

5. FIREFIGHTING MEASURES

<i>Flammable Hazards</i>	Yes
<i>Flash Point</i>	Not available
<i>Autoignition Temperature</i>	Not available
<i>Flammability</i>	Not available
<i>Suitable Extinguishing Media</i>	Dry chemical powder

Firefighting

<i>Protective Equipment</i>	Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.
<i>Specific Hazard(s)</i>	Flammable solid. Emits toxic fumes under fire conditions.

6. ACCIDENTAL RELEASE MEASURES

<i>Personal Precautions</i>	Evacuate area. Shut off all sources of ignition. Use non-sparking tools. Wear self-contained breathing apparatus, rubber boots, and heavy rubber gloves.
-----------------------------	--

Environmental Precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Methods for Cleaning Up

Avoid raising dust. Sweep up, place in a bag and hold for waste disposal. Ventilate area and wash spill site after material pickup is complete.

7. HANDLING AND STORAGE

Handling

Avoid contact with eyes, skin and clothing. Avoid breathing dust. Avoid prolonged or repeated exposure. Provide appropriate exhaust ventilation at places where dust is formed. Keep away from sources of ignition. NO SMOKING. Take measures to prevent electrostatic buildup. Keep container closed. Keep away from heat, sparks and open flame.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls

Safety shower and eye bath. Use non-sparking tools. Mechanical exhaust required.

Exposure Guidelines

Contains no substances with occupational exposure limit values

Personal Protective Equipment

Respiratory

Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator.

Hand

Compatible chemical-resistant gloves

Eye

Chemical safety goggles

General Hygiene Measures

Wash thoroughly after handling

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form

Solid

Color

Light grey

Safety Data

Molecular Weight:	101.07 amu	pH:	N/A
BP/BP Range:	N/A	MP/MP Range:	N/A
Freezing Point:	N/A	Vapor Pressure:	N/A
Vapor Density:	N/A	Saturated Vapor Concentration:	N/A
SG/Density:	N/A	Bulk Density:	N/A
Odor Threshold:	N/A	Volatile%:	N/A
VOC Content:	N/A	Water Content:	N/A
Solvent Content:	N/A	Evaporation Rate:	N/A
Viscosity:	N/A	Surface Tension:	N/A
Partition Coefficient:	N/A	Decomposition Temperature:	N/A
Flash Point:	N/A	Explosion Limits:	N/A
Flammability:	N/A	Autoignition Temperature:	N/A
Refractive Index:	N/A	Optical Rotation:	N/A
Miscellaneous Data:	N/A	Solubility:	N/A

10. STABILITY AND REACTIVITY

<i>Stability</i>	Stable
<i>Conditions of Instability</i>	Hygroscopic
<i>Materials to Avoid</i>	Strong oxidizing agents
<i>Hazardous Decomposition Products</i>	Nature of decomposition products not known
<i>Hazardous Polymerization</i>	Will not occur

11. TOXICOLOGICAL INFORMATION

Route of Exposure

<i>Skin Contact</i>	May cause skin irritation
<i>Skin Absorption</i>	May be harmful if absorbed through the skin
<i>Eye Contact</i>	May cause eye irritation
<i>Inhalation</i>	Material may be irritating to mucous membranes and upper respiratory tract; may be harmful if inhaled
<i>Ingestion</i>	May be harmful if swallowed
<i>Signs and Symptoms of Exposure</i>	To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Acute Toxicity

<i>Inhalation</i>	No data available
<i>Dermal</i>	No data available
<i>Skin Corrosion/Irritation</i>	No data available
<i>Serious Eye Damage/Eye Irritation</i>	No data available
<i>Respiratory or Skin Sensitisation</i>	No data available
<i>Germ Cell Mutagenicity</i>	No data available

Carcinogenicity

<i>IARC</i>	No component of this product present at levels greater than or equal to 0.1% is identified as a probable, possible or confirmed human carcinogen by IARC.
<i>ACGIH</i>	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
<i>NTP</i>	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
<i>OSHA</i>	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
<i>Reproductive Toxicity</i>	No data available
<i>Specific Target Organ Toxicity / Single Exposure</i>	No data available

<i>Specific Target Organ Toxicity / Repeated Exposure</i>	No data available
<i>Aspiration Hazard</i>	No data available
<i>Additional Information</i>	RTECS: Not available

12. ECOLOGICAL INFORMATION

<i>Toxicity</i>	No data available
<i>Persistence and Degradability</i>	No data available
<i>Bioaccumulative Potential</i>	No data available
<i>Mobility in Soil</i>	No data available
<i>Results of PBT and vPvB Assessment</i>	PBT/vPvB assessment not available, as chemical safety assessment not required/not conducted
<i>Other Adverse Effects</i>	No data available

13. DISPOSAL CONSIDERATIONS

<i>Product</i>	Material in the elemental state should be recovered for reuse or recycling. Observe all federal, state and local environmental regulations. Burn in a chemical incinerator equipped with an afterburner and scrubber, but exert extra care in igniting, as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.
<i>Contaminated Packaging</i>	Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT

<i>Proper Shipping Name</i>	Metal powders, flammable, n.o.s.
<i>UN No.</i>	3089
<i>Class</i>	4.1
<i>Packing Group</i>	Packing Group III
<i>Hazard Label</i>	Flammable solid
<i>PIH</i>	Not PIH

IATA

<i>Proper Shipping Name</i>	Metal powder, flammable, n.o.s.
<i>IATA UN No.</i>	3089
<i>Hazard Class</i>	4.1
<i>Packing Group</i>	III

15. REGULATORY INFORMATION

EU Additional Classification

<i>Symbol of Danger</i>	F
<i>Indication of Danger</i>	Highly flammable
<i>R</i>	11
<i>Risk Statements</i>	Highly flammable
<i>S</i>	16-22-24/25
<i>Safety Statements</i>	Keep away from sources of ignition. No smoking. Do not breathe dust. Avoid contact with skin and eyes.

US Classification and Label Text

<i>Indication of Danger</i>	Flammable (USA). Highly Flammable (EU).
<i>Safety Statements</i>	Keep away from sources of ignition. No smoking. Do not breathe dust. Avoid contact with skin and eyes.

United States Regulatory Information

No

Canada Regulatory Information

<i>WHMIS Classification</i>	This product has been classified in accordance with the hazard criteria of the CPR, and the MSDS contains all the information required by the CPR.
<i>DSL</i>	Yes
<i>NDSL</i>	No
<i>REACH Number</i>	A registration number is not available for this substance, as the substance or its uses are exempted from registration, the annual tonnage does not require a registration, or the registration is envisaged for a later registration deadline.

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Fire Hazard

Massachusetts Right to Know Components

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right to Know Components

Ruthenium / CAS No. 440-18-8

New Jersey Right to Know Components

Ruthenium / CAS No. 440-18-8

California Prop. 65 Components

This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION

<i>Prepared By</i>	ISOFLEX USA PO Box 472615 San Francisco CA 94147 United States
<i>Issuing Date</i>	January 12, 2014
<i>Revision Date</i>	October 18, 2024
<i>Revision Number</i>	4
<i>Revision Note</i>	Update supplier address

ISOFLEX USA's Commonly Used Abbreviations and Acronyms*

ACGIH	American Conference of Governmental Industrial Hygienists
ADR	European Agreement Concerning the International Carriage of Dangerous Goods by Road
ALARA	As Low As Is Reasonably Achievable
AMU	Atomic Mass Unit
ANSI	American National Standards Institute
BLS	Basic Life Support
CAM	Continuous Air Monitor
CAS	Chemical Abstracts Service (division of the American Chemical Society)
CEN	European Committee for Standardization
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CLP	Classification, Labelling and Packaging (European Union)
CPR	Controlled Products Regulations (Canada)
CWA	Clean Water Act (USA)
DAC	Derived Air Concentration (USA)
DOE	United States Department of Energy (USA)
DOT	United States Department of Transportation (USA)
DSL	Domestic Substances List (Canada)
EC50	Half Maximal Effective Concentration
EINECS	European Inventory of Existing Commercial Chemical Substances
EHS	Environmentally Hazardous Substance
ELINCS	European List of Notified Chemical Substances
EMS	Emergency Response Procedures for Ships Carrying Dangerous Goods
EPA	Environmental Protection Agency (USA)
EPCRA	Emergency Planning and Community Right-To-Know Act (EPCRA) of 1986
GHS	Globally Harmonized System
HMIS	Hazardous Materials Identification System (USA)
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IBC	Intermediate Bulk Containers
ICAO	International Civil Aviation Organization
IDLH	Immediately Dangerous to Life or Health
IMDG	International Maritime Code for Dangerous Goods
LC50	Lethal concentration, 50 percent
LD50	Lethal dose, 50 percent
LDLO	Lethal Dose Low
LOEC	Lowest-Observed-Effective Concentration
MARPOL	International Convention for the Prevention of Pollution from Ships
MSHA	Mine Safety and Health Administration (USA)
NCRP	National Council on Radiation Protection & Measurements (USA)
NDSL	Non-Domestic Substances List (Canada)
NFPA	National Fire Protection Association (USA)

NIOSH	National Institute for Occupational Safety and Health (USA)
NOEC	No Observed Effect Concentration
N.O.S.	Not Otherwise Specified
NRC	Nuclear Regulatory Commission (USA)
NTP	National Toxicology Program (USA)
OSHA	Occupational Safety and Health Administration (USA)
PBT	Persistent Bioaccumulative and Toxic Chemical
PEL	Permissible Exposure Limit
PIH	Poisonous by Inhalation Hazard
RCRA	Resource Conservation and Recovery Act (USA)
RCT	Radiation Control Technician
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals (Europe)
RID	Regulations Concerning the International Transport of Dangerous Goods by Rail
RTECS	Registry of Toxic Effects of Chemical Substances
SARA	Superfund Amendments and Reauthorization Act (USA)
TDG	Transportation of Dangerous Goods (Canada)
TIH	Toxic by Inhalation Hazard
TLV	Threshold Limit Value
TPQ	Threshold Planning Quantity
TSCA	Toxic Substances Control Act
TWA	Time Weighted Average
UN	United Nations (Number)
VOC	Volatile Organic Compound
vPvB	Very Persistent Very Bioaccumulative Chemical
WGK	Wassergefährdungsklassen (Germany: Water Hazard Classes)
WHMIS	Workplace Hazardous Materials Information System

*One or more of the above-listed items may not appear in this document.

General Disclaimer

For terms and conditions, including limitation of liability, please refer to the purchase agreement in effect between ISOFLEX USA (or any of its affiliates and subsidiaries) and the purchaser.

DISCLAIMER OF EXPRESSED AND IMPLIED WARRANTIES

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained herein and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purpose(s).

The above information is believed to be correct but does not purport to be all-inclusive and shall be used only as a guide. ISOFLEX shall not be held liable for any damage resulting from handling or from contact with the above product.