

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name	Tungsten Powder
Chemical Formula	W
Molecular Weight	183.858 g/mol
CAS No.	7440-33-7
NIOSH (RTECS) No.	YO7175000
EINECS No.	231-143-9
Supplier Address*	ISOFLEX USA PO Box 29475 San Francisco CA 94129 United States
Telephone	+1 415-440-4433
Fax	+1 415-563-4433
Emergency Phone Number (both supplier and manufacturer)	Infotrac/ +1 800-535-5053 *May include subsidiaries or affiliate companies/divisions
Email	iusa@isoflex.com
Website	www.isoflex.com
Preparation Information	ISOFLEX USA Product Safety +1 415-440-4433

2. HAZARDS IDENTIFICATION

Emergency Overview:

Appearance: Grey Powder

Keep away from heat/spark/open flame/hot surfaces. No smoking. Wear protective gloves/equipment/clothing.

NFPA Ratings: (0 = Minimal; 1 = Slight; 2 = Moderate; 3 = Serious; 4 = Severe)

Health Hazard = 2 Flammability = 3 Reactivity = 3



HMIS Ratings: (0 = Minimal; 1 = Slight; 2 = Moderate; 3 = Serious; 4 = Severe)

Health Hazard = 2 Flammability = 3 Physical Hazard = 3

HEALTH HAZARD	2
FLAMMABILITY	3
PHYSICAL HAZARD	3

Potential Health Effects

<i>Eye</i>	May cause eye irritation
<i>Skin</i>	May cause skin irritation
<i>Ingestion</i>	May cause gastrointestinal irritation with nausea, vomiting and diarrhea. The toxicological properties of this substance have not been fully investigated.
<i>Inhalation</i>	May cause respiratory tract irritation. The toxicological properties of this substance have not been fully investigated.
<i>Chronic</i>	Adverse reproductive effects have been reported in animals.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name:	Tungsten
CAS No.	7440-33-7
Chemical Formula:	W
Molecular Weight:	183.858 g/mol

4. FIRST AID MEASURES

<i>Eye Exposure</i>	Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid.
<i>Dermal Exposure</i>	Get medical aid. Flush skin with plenty of soap and water for at least 15 minutes after removing contaminated clothing and shoes. Wash clothing before reuse.
<i>Oral Exposure</i>	Get medical aid. Do NOT induce vomiting. If conscious and alert, rinse mouth and drink 2-4 cupfuls of milk or water.
<i>Inhalation Exposure</i>	Remove from exposure to fresh air immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical aid.

5. FIREFIGHTING MEASURES

<i>Suitable Extinguishing Media</i>	Special powder for metal fires or alcohol-resistant foam, dry chemical or carbon dioxide. Do not use water.
<i>Autoignition Temperature</i>	N/A
<i>Flash Point</i>	N/A
<i>Explosion Limits - Lower</i>	N/A
<i>Explosion Limits - Upper</i>	N/A

Firefighting

<i>Protective Equipment</i>	Wear self-contained breathing apparatus. Wear fully protective impervious suit.
<i>Special Combustion Products</i>	Tungsten oxide

6. ACCIDENTAL RELEASE MEASURES

<i>Personal Precautions</i>	Use proper personal protective equipment as indicated in Section 8. Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition.
<i>Environmental Precautions</i>	Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Vacuum or sweep up material and place into a suitable disposal container. Clean up spills immediately, observing precautions in the Protective Equipment section. Remove all sources of ignition. Use a spark-proof tool. Isolate area and deny entry.

7. HANDLING AND STORAGE

Handling

Use only in a well-ventilated area. Minimize dust generation and accumulation. Ground and bond containers when transferring material. Use spark-proof tools and explosion-proof equipment. Avoid contact with skin and eyes. Empty containers retain product residue (liquid and/or vapor) and can be dangerous. Avoid contact with heat, sparks and flame. Avoid ingestion and inhalation. Handle under an inert atmosphere. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose empty containers to heat, sparks or open flames.

Storage

Keep away from heat, sparks and flame. Keep away from sources of ignition. Store in a tightly-closed container. Store in a cool, dry, well-ventilated area away from incompatible substances. Use flammables area. Do not expose to air. Store under an inert atmosphere.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls

Use explosion-proof ventilation equipment. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use adequate ventilation to keep airborne concentrations low.

Personal Protective Equipment

Eye

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

Hand

Wear appropriate protective gloves to prevent skin exposure.

Body

Wear appropriate protective clothing to prevent skin exposure.

Respirators

A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements or European Standard EN 149 must be followed whenever workplace conditions warrant a respirator's use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form	Powder
Color	Gray
Odor	Odorless

Safety Data

Molecular Formula	W
Molecular Weight	183.858
pH	Not available
Vapor Pressure	Not available
Viscosity	Not available
Boiling Point	5900 °C
Melting Point	3410 °C
Flammability	The substance or mixture is a flammable solid
Decomposition Temperature	Not available
Specific Gravity	19.3 g/cm ³
Solubility	Insoluble in water

10. STABILITY AND REACTIVITY

<i>Chemical Stability</i>	Stable under normal temperatures and pressures; powder is pyrophoric
<i>Conditions to Avoid</i>	Incompatible materials, ignition sources, dust generation, exposure to air, excess heat, strong oxidants, electrical sparks
<i>Incompatible Materials</i>	Strong oxidizing agents, halogens
<i>Hazardous Decomposition Products</i>	Metal oxide fume
<i>Hazardous Polymerization</i>	Has not been reported

11. TOXICOLOGICAL INFORMATION

RTECS No.	YO7175000
CAS No.	7440-33-7
LD50/LC50	Draize test – Rabbit - Eye: 500 mg/24H - Mild Draize test – Rabbit - Skin: 500 mg/24H - Mild
Carcinogenicity	Not listed by ACGIH, IARC, NIOSH, NTP, or OSHA
<i>Epidemiology</i>	No information available
<i>Teratogenicity</i>	No information available
<i>Reproductive Effects</i>	No information available
<i>Neurotoxicity</i>	No information available
<i>Mutagenicity</i>	No information available/60D-C
<i>Other Studies</i>	May cause reproductive effects. See actual entry in RTECS for complete information.

12. ECOLOGICAL INFORMATION

No data available

13. DISPOSAL CONSIDERATIONS

<i>Product</i>	Dispose of in a manner consistent with federal, state and local regulations. Burn in a chemical incinerator equipped with an afterburner and scrubber, but exert extra care in igniting, as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.
<i>Contaminated Packaging</i>	Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)	
Proper Shipping Name	Metal powders, flammable, n.o.s.
UN No.	3089
Class	4.1
Packing Group	II
Marine Pollutant	No
Poison Inhalation Hazard	No

IMDG

Proper Shipping Name	METAL POWDER, FLAMMABLE, N.O.S.
UN No.	3089
Class	4.1
Packing Group	II
EMS No.	F-G, S-G
Marine Pollutant	No

IATA

Proper Shipping Name	Metal powder, flammable, n.o.s.
UN No.	3089
Class	4.1
Packing Group	II

15. REGULATORY INFORMATION

EPA Regulations	N/A
SARA/Title III Categories	Under applicable definitions, this material may meet the criteria for the delayed (chronic) health hazard category.
SARA 313 Information	Tungsten is not subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.
Canadian DSL Inventory	Listed
RCRA Hazardous Waste Number	Not listed
TSCA	This material is registered under the regulation of the Toxic Substance Control Act
Massachusetts Right to Know Components	Tungsten / CAS No. 7440-33-7 / Revision Date 1994-04-01
Pennsylvania Right to Know Components	Tungsten / CAS No. 7440-33-7 / Revision Date 1994-04-01
New Jersey Right to Know Components	Tungsten / CAS No. 7440-33-7 / Revision Date 1994-04-01
California Prop. 65 Components	This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION

<i>Prepared By</i>	ISOFLEX USA PO Box 29475 San Francisco CA 94129 United States
<i>Issuing Date</i>	January 12, 2014
<i>Revision Date</i>	July 29, 2021
<i>Revision Number</i>	2
<i>Revision Note</i>	Required review and update

ISOFLEX USA's Commonly Used Abbreviations and Acronyms*

ACGIH	American Conference of Governmental Industrial Hygienists
ADR	European Agreement Concerning the International Carriage of Dangerous Goods by Road
ALARA	As Low As Is Reasonably Achievable
AMU	Atomic Mass Unit
ANSI	American National Standards Institute
BLS	Basic Life Support
CAM	Continuous Air Monitor
CAS	Chemical Abstracts Service (division of the American Chemical Society)
CEN	European Committee for Standardization
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CLP	Classification, Labelling and Packaging (European Union)
CPR	Controlled Products Regulations (Canada)
CWA	Clean Water Act (USA)
DAC	Derived Air Concentration (USA)
DOE	United States Department of Energy (USA)
DOT	United States Department of Transportation (USA)
DSL	Domestic Substances List (Canada)
EC50	Half Maximal Effective Concentration
EINECS	European Inventory of Existing Commercial Chemical Substances
EHS	Environmentally Hazardous Substance
ELINCS	European List of Notified Chemical Substances
EMS	Emergency Response Procedures for Ships Carrying Dangerous Goods
EPA	Environmental Protection Agency (USA)
EPCRA	Emergency Planning and Community Right-To-Know Act (EPCRA) of 1986
GHS	Globally Harmonized System
HMIS	Hazardous Materials Identification System (USA)
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IBC	Intermediate Bulk Containers
ICAO	International Civil Aviation Organization
IDLH	Immediately Dangerous to Life or Health
IMDG	International Maritime Code for Dangerous Goods
LC50	Lethal concentration, 50 percent
LD50	Lethal dose, 50 percent
LDLO	Lethal Dose Low
LOEC	Lowest-Observed-Effective Concentration
MARPOL	International Convention for the Prevention of Pollution from Ships
MSHA	Mine Safety and Health Administration (USA)
NCRP	National Council on Radiation Protection & Measurements (USA)
NDSL	Non-Domestic Substances List (Canada)
NFPA	National Fire Protection Association (USA)
NIOSH	National Institute for Occupational Safety and Health (USA)
NOEC	No Observed Effect Concentration
N.O.S.	Not Otherwise Specified
NRC	Nuclear Regulatory Commission (USA)
NTP	National Toxicology Program (USA)
OSHA	Occupational Safety and Health Administration (USA)
PBT	Persistent Bioaccumulative and Toxic Chemical
PEL	Permissible Exposure Limit
PIH	Poisonous by Inhalation Hazard
RCRA	Resource Conservation and Recovery Act (USA)
RCT	Radiation Control Technician
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals (Europe)
RID	Regulations Concerning the International Transport of Dangerous Goods by Rail
RTECS	Registry of Toxic Effects of Chemical Substances
SARA	Superfund Amendments and Reauthorization Act (USA)
TDG	Transportation of Dangerous Goods (Canada)

TIH	Toxic by Inhalation Hazard
TLV	Threshold Limit Value
TPQ	Threshold Planning Quantity
TSCA	Toxic Substances Control Act
TWA	Time Weighted Average
UN	United Nations (Number)
VOC	Volatile Organic Compound
vPvB	Very Persistent Very Bioaccumulative Chemical
WGK	Wassergefährdungsklassen (Germany: Water Hazard Classes)
WHMIS	Workplace Hazardous Materials Information System

*One or more of the above-listed items may not appear in this document.

General Disclaimer

For terms and conditions, including limitation of liability, please refer to the purchase agreement in effect between ISOFLEX USA (or any of its affiliates and subsidiaries) and the purchaser.

DISCLAIMER OF EXPRESSED AND IMPLIED WARRANTIES

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained herein and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purpose(s).

The above information is believed to be correct but does not purport to be all-inclusive and shall be used only as a guide. ISOFLEX shall not be held liable for any damage resulting from handling or from contact with the above product.



ISOFLEX